

ATA CHAPTER

25 | 60 | 00

Emergency Medical Equipment

Approved by :

- Airbus
- Boeing
- Embraer
- ATR
- ... Maintenance MRO's

In Compliance with:

- FAR-121 Subpart X
- EU-OPS 1.745 / 1.755
- NAA Requirements
- Customer Requirements
- +++ A.O.G. Service +++
- Consulting

**First Aid
Kits**

**Emergency
Medical Kits**

**Doctor's
Kits**



**Replenishment
Packages**

**Customized
Medical
Equipment**

**Spare Parts
Support**

ATA CHAPTER

25 | 60 | 00

Overview **Emergency Medical Equipment**

EU-OPS 1 Requirements

First Aid Kit EU-OPS 1.745

1-99	pax	1 ea.
100-199	pax	2 ea.
200-299	pax	3 ea.
300 up	pax	4 ea.

Emergency Med. Kit EU-OPS 1.755

Required for more than 30 pax. if any point on the planned route is more than 60 minutes flying time from an airport at which qualified medical assistance is assured.

FAR-121 Subpart X

First Aid Kit FAR-121

50	pax	1 ea.
51-150	pax	2 ea.
151-250	pax	3 ea.
250 up	pax	4 ea.

Emergency Med. Kit FAR-121

One approved emergency medical kit in aircraft for which a flight attendant is required

The medical equipment is defined by the FAR, JAR and NAA requirements. The requirements prescribe the minimum mandatory standard. It is always the airline decision to select advanced configurations regarding contents in order to provide cabin crew and voluntary physicians with a wider range of equipment, thus saving many lives in an emergency medical situation. Innovint kits are based on a modular system and comprise mandatory basic kits as well as advanced and customized configurations.

Automated External Defibrillator - AED

Automated external defibrillators (AEDs) are required by FAR-121, subpart X for airplanes for which a flight attendant is required and with a maximum payload capacity of more than 7.500 pounds.

Also airplanes operating under NAA or EU-OPS regulations have more and more AEDs voluntary on-board.

Innovint supports the integration of AEDs as a standard safety equipment and cooperates with Cardiac Sciences. The Powerheart G3 AED meets and exceeds the rigorous standards for the aerospace industry.



PNR 6240-series • First aid kit stored in bracket



PNR 9300A-series • Powerheart G3

ATA CHAPTER

25 60 00

BASIC First Aid Kit

- Airbus cross fleet approval
- Boeing basic approval
- ETSO Approval under technical specification TS 40.400/2TS

- In compliance with EASA AIR-OPS
- In compliance with FAR-121, subpart X
- In compliance with ICAO, part I


Anticipated shelf life is 18 months, which may be reduced down to 12 months due to the availability of medicine production lots. Latches can be sealed by tie-wraps, plombs or lockers.

The first aid kit PNR 6240-37 has been strictly assembled to the statutory requirements of EASA AIR-OPS. In addition the kits cover FAR 121, subpart X and ICAO, part I as well. It represents the classical standard equipment. The contents of first aid kit PNR 6240-48 is reduced for FAR-121 requirements only. The kits are manufactured of aluminum sheets (coated in grey) and aluminum sections.

The bracket PNR 6240-01-001 allows installation of the kit at any location. The bracket has been tested in our approved testing facilities for use in all directions (9g).



PNR 6240-series • First Aid Kit basic



PNR 6240-37 • Bracket

DIMENSIONS

First Aid Kit	+	PNR 6240-37 / -48
First Aid Kit	C	PNR 6240-67
Length:	270 mm	10.63 in
Width:	300 mm	11.81 in
Height:	115 mm	4.53 in
Weight max: 6240-37/-67	3 kg	6.61 lbs
Weight max: 6240-48 (incl. contents)	2.5 kg	5.50 lbs

DIMENSIONS

Bracket	PNR 6240-37-011	
Length:	278 mm	11.00 in
Width:	130 mm	5.12 in
Height:	280 mm	11.02 in
Weight:	1 kg	2.20 lbs

ed. 04/15 subject to alterations

ATA CHAPTER

25 60 00

Single Aisle **First Aid Kit**


- Airbus cross fleet approval
- Boeing basic approval
- ETSO Approval under technical specification TS 40.400/2TS

- In compliance with EASA AIR-OPS
- In compliance with FAR-121, subpart X
- In compliance with ICAO, part I
- Content exceeds named regulations


Anticipated shelf life is 18 months, which may be reduced down to 12 months due to the availability of medicine production lots. Latches can be sealed by tie-wraps, plombs or lockers.



PNR 6240-35 • First Aid Kit standard body



PNR 6240-45 • White powder – coated



PNR 6240-05-001 • Bracket

These First Aid Kits have been assembled to the statutory requirements of EASA AIR-OPS. In addition the kits cover FAR 121, subpart X and ICAO, part I as well. They are especially designed to be stored in the overhead stowage compartment, taking as little space as possible. PNR 6240-35/-65 is manufactured of aluminum sheets (coated in grey) and aluminum sections.

PNR 6240-45/-46 is made of a more light weight box (coated in white).

The bracket PNR 6240-05-001 allows installation of the kit at any location. It has been tested in our approved testing facilities for use in all directions (9g).



DIMENSIONS

First Aid Kit		PNR 6240-35 /-45
First Aid Kit		PNR 6240-65 /-46

Length:	525 mm	20.67 in
Width:	205 mm	8.10 in
Height:	115 mm	4.53 in

Weight max: 6240-35/-65	3.9 kg	8.59 lbs
Weight max: 6240-45/-46	3.4 kg	7.49 lbs

(incl. contents)



Airbus standard location in the overhead stowage compartment

DIMENSIONS

Bracket	PNR 6240-05-001	
----------------	------------------------	--

Length:	506 mm	20.00 in
Width:	126 mm	5.00 in
Height:	210 mm	8.27 in

Weight:	1 kg	2.20 lbs
---------	------	----------

ed. 04/15 subject to alterations

ATA CHAPTER

25 60 00

Long Range First Aid Kit

- Airbus cross fleet approval
- Boeing basic approval
- ETSO Approval under technical specification TS 40.400/2TS

- In compliance with EASA AIR-OPS
- In compliance with FAR-121, subpart X
- In compliance with ICAO, part I
- Content exceeds named regulations

Anticipated shelf life is 18 months, which may be reduced down to 12 months due to the availability of medicine production lots. Latches can be sealed by tie-wraps, plombs or lockers.

PNR 6240-31 long range first aid kit gives high degree of flexibility for contents customization. Half of the size is required to comply with the EASA AIR-OPS, FAR-121 requirements and ICAO. The other half can be equipped to the airliner needs. The -xx PNR will change accordingly (PNR 6240-31 shown). The kit is manufactured of aluminum sheets (coated in grey) and aluminum sections.



PNR 6240-41 is made of a more light weight box (coated in white).

The bracket PNR 6240-01-001 allows installation of the kits at any location. The bracket has been tested in our approved testing facilities for use in all directions (9g).




PNR 6240-31 • First Aid Kit long range

DIMENSIONS

First Aid Kit		PNR 6240-31/-41
First Aid Kit		PNR 6240-xx/-42
Length:	540 mm	21.26 in
Width:	300 mm	11.81 in
Height:	115 mm	4.53 in
Weight max: 6240-31	4.8 kg	10.58 lbs
Weight max: 6240-41/-42	4.2 kg	9.25 lbs

(incl. contents)



PNR 6240-41 • White powder - coated

DIMENSIONS

Bracket	PNR 6240-01-001	
Length:	551 mm	21.69 in
Width:	130 mm	5.12 in
Height:	285 mm	11.22 in
Weight:	1,2 kg	2.64 lbs

ed. 04/15 subject to alterations

ATA CHAPTER

25 60 00

EASA AIR-OPS Emergency Medical Kit

- Airbus cross fleet approval
- ETSO Approval under technical specification TS 40.400/2TS
- In compliance with EASA AIR-OPS
- In compliance with FAR 121, subpart X
- In compliance with ICAO, part I
- In case of other needed requirements Innovint can provide a compliance analysis.

Anticipated shelf life is 12 months, which may be reduced down to 9 months due to the availability of medicine production lots. Latches can be sealed by tie-wraps, plombs or lockers.

The Emergency Medical Kit PNR 6240-22/-62 has been assembled to the statutory requirements of EASA AIR-OPS.

In addition the kit covers FAR 121, subpart X and ICAO, part I as well.

The lower compartment is divided into sections grouping the items by medical subject.

The kit is manufactured of aluminum sheets (coated in gery) and aluminum sections.

The bracket PNR 6240-01-001 allows installation of the kit at any location.


It has been tested in our approved testing facilities for use in all directions (9g).



PNR 6240-22 • Emergency Medical Kit

DIMENSIONS

Emergency Med. Kit	+	PNR 6240-22
Emergency Med. Kit	⊕	PNR 6240-62
Length:	540 mm	21.26 in
Width:	300 mm	11.81 in
Height:	115 mm	4.53 in
Weight max: (incl. contents)	6.5 kg	14.32 lbs



PNR 6240-01-001 • Bracket

DIMENSIONS

Bracket		PNR 6240-01-001
Length:	551 mm	21.69 in
Width:	130 mm	5.12 in
Height:	285 mm	11.22 in
Weight:	1.2 kg	2.64 lbs

ed. 04/15 subject to alterations

ATA CHAPTER

25 60 00

FAA Emergency Medical Kit

- Airbus cross fleet approval
- ETSO Approval under technical specification TS 40.400/2TS

- In compliance with FAR-121 Subpart X
- In compliance with ICAO, Part I

The Emergency Medical Kit PNR 6240-28 has been assembled strictly to the statutory requirements of FAR 121, Subpart X and ICAO, Part I including latest amendment. The emergency medical kit represents the minimum mandatory standard. The upper compartment is equipped with an ampoule rack which holds up to 33 ampoules. The lower compartment is divided into sections grouping the items by medical subject. The kit is manufactured of aluminum sheets (coated in grey) and aluminum sections.

Anticipated shelf life is 12 months, which may be reduced down to 9 months due to the availability of medicine production lots. Latches can be sealed by tie-wraps, plombs or lockers.


The bracket PNR 6240-01-001 allows installation of the kit at any location. The bracket has been tested in our approved testing facilities for use in all directions (9g).



PNR 6240-28 • Emergency Medical Kit

DIMENSIONS

Emergency Med. Kit	+	PNR 6240-28
Emergency Med.Kit	C	PNR 6240-29
Length:	540 mm	21.26 in
Width:	300 mm	11.81 in
Height:	5 mm	4.53 in
Weight max (incl. contents)	5.9 kg	13.00 lbs



PNR 6240-01-001 • Bracket

DIMENSIONS

Bracket	PNR 6240-01-001	
Length:	551 mm	21.69 in
Width:	130 mm	5.12 in
Height:	285 mm	11.22 in
Weight:	1,2 kg	2.64 lbs

ed. 04/15 subject to alterations

ATA CHAPTER

25 60 00

Attendant Kit

The attendant kit PNR 6240-81 provides for the cabin crew the "all flight" necessary first aid sundry items.

The certified first aid kit does not need to be used, which avoids the removal of the first aid kit from the aircraft and mandatory part inspection.

The soft pocket is made of red Nylon with a zipper. The below listed contents may be extended by some standard medicine, e.g. such as remedy for wounds, nasal decongestant, or loperamide.



PNR 6240-81 /-82 • Attendant Kit

DIMENSIONS

Attendant Kit	PNR 6240-81	
Length:	160 mm	6.30 in
Width:	40 mm	1.60 in
Height:	110 mm	4.33 in
Weight max: (incl. contents)	0,15 kg	0.33 lbs

LIST OF CONTENTS

Attendant Kit	PNR 6240-81	
1 EA Adhesive bandage	6 x 10 cm.	8 ea.
2 EA Elastic bandage	8 cm x 4m	
2 EA Gauze compress	7,5 x 7,5 cm,	2 ea
1 EA Disposable gloves pair, large		
1 EA Triangular bandage		
1 EA Scissors, bandage		
1 EA Antiseptic alcohol swabs		10 ea

Contents may be extended according to customer requirements, nevertheless space is limited.

DIMENSIONS

Attendant Kit	PNR 6240-82	
Length:	160 mm	6.30 in
Width:	40 mm	1.60 in
Height:	110 mm	4.53 in
Weight max: (incl. contents)	0,15 kg	0.33 lbs

Same content like PNR 6240-81 with additional medication of paracetamol and gastric anti acid.

ed. 01/15 subject to alterations

ATA CHAPTER

25 60 00

Universal Precaution Kit

Universal Precaution Kits PNR 6240-10X are required on board according to ICAO standard Annex 6 Operation of Aircraft. Innovint adopted the UPKs to its medical emergency equipment product line and offers three different configurations.

The standard UPK is available in a soft robust canvas bag out of the „InnoBag product-line“. This allows an easy stowage throughout the cabin, contributes to a real weight reduction, and fits into an ATLAS standard drawer. Alternatively it can fit in our standard aluminum kit with matching bracket for installation.

The PNR 6240-10 is the „Long Range“ version and takes, regarding the quantity configuration of the contents, the larger number of crew members into account. Also for the UPK long range version matching installation brackets are available. On top of the ICAO Standard we offer customized versions, either taking customer requirements into account, or adapt to national regulations regarding the content of the UPK.

Anticipated shelf life is 18 months, which may be reduced down to 15 months due to the availability of medicine production lots.



PNR 6240-10E • Universal Precaution Kit Standard – soft bag

DIMENSIONS

UPK Standard		PNR 6240-10 E
Length:	360 mm	14.17 in
Width:	240 mm	9.50 in
Height:	95 mm	3.74 in
Weight max: (incl. contents)	2,7 kg	6.00 lbs



PNR 6240-10D • Universal Precaution Kit Standard

DIMENSIONS

UPK Standard		PNR 6240-10D
1 EA	Adhesive bandage	6 x 10 cm. 8 ea.
2 EA	Elastic bandage	8 cm x 4m
2 EA	Gauze compress	7,5 x 7,5 cm, 2 ea
1 EA	Disposable gloves pair, large	
1 EA	Triangular bandage	
1 EA	Scissors, bandage	
1 EA	Antiseptic alcohol swabs	10 ea




PNR 6240-10 • Universal Precaution Kit „Long Range“, shown with additional lateral hand grip

DIMENSIONS


UPK Long Range		PNR 6240-10
Length:	160 mm	6.30 in
Width:	40 mm	1.60 in
Height:	110 mm	4.33 in
Weight max: (incl. contents)	0,15 kg	0.33 lbs

ed. 03/15 subject to alterations

ISSUE DATE:	31.05.10	LIST OF CONTENTS INSTRUCTIONS FOR USE PNR 6240-10 Universal Precaution Kit	
REV.:	N/C		
REV. DATE:	N/C		
PAGE:	1 / 2		

No.	PNR	QTY	Description
1.	6240-01-368	1 x 1 ea.	List of Contents and Instructions for Use in english
2.	6240-01-353	2 x 10 ea.	Face mask (10ea. packing)
3.	6240-01-357	2 x 1 ea.	Eye mask
4.	6240-01-358	2 x 20 ea.	Disposable nitril-gloves (20ea. packing)
5.	6240-01-359	2 x 10 ea.	Protection apron (10ea. packing)
6.	6240-01-355	1 x 100 ea.	Germicidal desinfectant for surface cleaning (100ea. packing)
7.	6240-01-356	4 x 5 ea.	Skin wipes (5ea. packing)
8.	6240-01-354	1 x 150 g	Dry powder (150g)
9.	6240-01-361	1 x 5 ea.	Large absorbent towel, 40cm x 60cm (5ea. packing)
10.	6240-01-362	1 x 1 ea.	Pick up scoop
11.	6240-01-363	1 x 1 ea.	Scraper
12.	6240-01-364	1 x 1 ea.	Scraper with brush
13.	6240-01-365	1 x 5 ea.	Biohazard disposable waste bag, 420cm x 610cm (5ea. packing)
14.	6240-01-993	2 x 1 ea.	Tie-raps, red (for sealing the box after use)


Abbr.: ea.= each; g= gram

ISSUE DATE:	01. Mar. 2011	LIST OF CONTENTS INSTRUCTIONS FOR USE PNR 6240-10D Universal Precaution Kit	
REV.:	N/C		
REV. DATE:	N/C		
PAGE:	1 / 2		

No.	PNR	QTY	Description
1.	6240-01-414	1 x 1 ea.	List of contents and instructions for use; English
2.	6240-01-353	1 x 10 ea.	Face mask (10ea. packing)
3.	6240-01-357	2 x 1 ea.	Eye mask
4.	6240-01-358	1 x 10 pair	Disposable nitril-gloves (10 pair)
5.	6240-01-413	2 x 1 ea.	Protection apron (1ea. packing)
6.	6240-01-356	2 x 5 ea.	Skin wipes (5ea. packing)
7.	6240-01-416	1 x 40 ea.	Germicidal desinfectant for surface cleaning (40ea. packing)
8.	6240-01-362	1 x 1 ea.	Pick up scoop
9.	6240-01-363	1 x 1 ea.	Scraper
10.	6240-01-410	1 x 2 ea.	Large absorbent towel, 40cm x 60cm (2ea. packing)
11.	6240-01-411	1 x 2 ea.	Biohazard disposable waste bag, 420cm x 610cm (2ea. packing)
12.	6240-01-412	2 x 650 g	Dry powder (650g)
13.	6240-01-993	2 x 1 ea.	Tie-raps, red (for sealing the box after use)

Abbr.: ea.= each; g= gram

INNOVINT Aircraft Interior GmbH - Holzmühlenstrasse 84-86 - 22041 Hamburg - Germany - Phone: +49 40 6969860 - Fax: +49 40 6932026
http://www.innovint.de - email: fly@innovint.de

ISSUE DATE:	01. Mar. 2011	LIST OF CONTENTS INSTRUCTIONS FOR USE PNR 6240-10E Universal Precaution Kit	
REV.:	N/C		
REV. DATE:	N/C		
PAGE:	1 / 2		

No.	PNR	QTY	Description
1.	6240-01-415	1 x 1 ea.	List of contents and instructions for use; English
2.	6240-01-353	1 x 10 ea.	Face mask (10ea. packing)
3.	6240-01-357	2 x 1 ea.	Eye mask
4.	6240-01-358	1 x 10 pair	Disposable nitril-gloves (10 pair)
5.	6240-01-413	2 x 1 ea.	Protection apron (1ea. packing)
6.	6240-01-356	2 x 5 ea.	Skin wipes (5ea. packing)
7.	6240-01-416	1 x 40 ea.	Germicidal desinfectant for surface cleaning (40ea. packing)
8.	6240-01-362	1 x 1 ea.	Pick up scoop
9.	6240-01-363	1 x 1 ea.	Scraper
10.	6240-01-410	1 x 2 ea.	Large absorbent towel, 40cm x 60cm (2ea. packing)
11.	6240-01-411	1 x 2 ea.	Biohazard disposable waste bag, 420cm x 610cm (2ea. packing)
12.	6240-01-412	2 x 650 g	Dry powder (650g)
13.	6240-01-993	1 x 1 ea.	Tie-raps, red (for sealing the box after use)

Abbr.: ea.= each; g= gram

INNOVINT Aircraft Interior GmbH - Holzmühlenstrasse 84-86 - 22041 Hamburg - Germany - Phone: +49 40 6969860 - Fax: +49 40 6932026
http://www.innovint.de - email: fly@innovint.de

Description	Instructions for use
Face Mask	High filtration performance, extremely high absorptive capacity, 95% glass fibre free.
Eye Mask	Eye protection glasses to prevent from chemical and mechanical impacts.
Disposable Gloves	Nitril is an artificial rubber material with excellent resistancy against a large number of resolvents and chemicals, as well as oils, fats and acids.
Protection Apron	Perfect protection against impureness, made of flexible polyethylene.
Germicidal Desinfectant	Ready-to-use cloths for quick disinfection of surfaces. Medical application: bacteria, fungi and virus to a limited extent.
Skin Wipes	Reliably acting against vegetative bacteria, mycobacteria, fungi and virus to a limited extent.
Dry Powder	Highly absorbent inodorous and dust-free granulated material on mineral basis dedicated to absorb liquids.
Large Absorbent Towel	Cloth to absorb liquids, i.e. blood, secretion or urine, made of cellulose flakes with textile fleece sealing. The bottom side consists of a liquid proof polyethylene foil.
Pick Up Scoop	Hand shovel according to HACCP (Hazard Analysis and Critical Control Points-conception). Temperature resistant up to 100°C.
Scraper	Spatula acc. to HACCP (Hazard Analysis and Critical Control Points-conception). Temperature resistant up to 100°C.
Scraper With Brush	Brush acc. to HACCP (Hazard Analysis and Critical Control Points-conception). Temperature resistant up to 100°C.
Biohazard Waste Bag	Biohazard-waste bag, 760mm x 160mm, PE, with Biohazard symbol.